Contents of Volume 46 · 2001

Albertsson A-C → Qu X
Ankoné MJK → Zhong Z

Baumhardt Neto R → Maurano CHF
Benaboura A → Guemmour H
Bernhardt S, Glöckner P, Ritter H: Cyclodextrins in polymer synthesis: Influence of methylated ,-cyclodextrin as host on the free radical copolymerization reactivitx ratios of hydrophobic àcrylates as guest monomers in aqueous medium 153
Bertorello H → Ruiz D
Bicak N, Bulbul H: Polymer supported nitrite esters as diazotising reagent 139
Birg C → Zhong Z
Bonnans-Plaisance C → Nicol E
Borcakli M → Hazer B
Brand T → Dasgupta A
Bratschkov C, Karpuzova P, Müllen K, Klapper M, Schopov I: Synthesis and photochemical transformations of an anthracene containing methacrylic copolymer 345
Brembilla A → Leddet C
Bucio E, Cedillo G, Burillo G, Ogawa T: Radiation-induced grafting of functional acrylic monomers onto polyethylene and polypropylene films using acryloyl chloride 115
Buika G → Rutkaite R
Bulbul H → Bicak N
Burillo G → Bucio E

Çaldıran Y → Saraydın D
Cancino RA → Rabagliati FM
Carrière F → Guemmour H
Cederfur J, Kempe M: Development of wide-pore CLEAR supports for applications involving biological macromolecules 381
Cedillo G → Bucio E
Chang BTA → Chuah HH
Chang JY → Kim BJ
Choi DH, Kim JH: Stability of the surface relief grating on the thin film of the polyurethane and the polymethacrylate containing an aminonitroazoben-zene moiety 395
Choi YS → Wang KH
Cho WJ → Lee SM
Chuah HH, Chang BTA: Crystal orientation function of poly(trimethylene terephthalate) by wide-angle x-ray diffraction 307
Chujo Y → Matsumoto F
Chujo Y → Kim K-M
Chujo Y → Miyata M
Chujo Y → Itoh H
Chung HY → Lee SM
Chung IJ → Wang KH
Czaja K → Korach J

Dasgupta A, Brand T, Klapper M, Müllen K: Triazolinyl-controlled radical polymerization as innovative route to poly(hydroxyethyl methacrylate) 131
Degirmenci M, Onen A, Yagci Y, Pappas SP: Photoinitiation of cationic polymerization by visible light activated titanocene in the presence of onium salts 443
Dehelean G → Iliescu S
De Kee D → González-Nuñez R
Demirel SI → Hazer B
Dijkstra PJ → Zhong Z
do Egito EST → Garcia RB
Drozdov AD: The effects of temperature and molecular weight on the mechanical response and strength of elastomers 215
Dujardin G → Nicol E
Dumas P → Joguet L
Durmaz S, Okay O: Inhomogeneities in poly(acrylamide) gels: position-dependent elastic modulus measurements 409
Dušek K → Ilavský M

Emsley L → Menge H
Endo K, Yachi A: Molecular-weight-controlled polymerization of styrene with $Mn(acac)_3$ in combination with organic halides 363
Endo T → Kim M
Eroglu MS → Hazer B

Favis BD → González-Nuñez R
Feijen J → Zhong Z
Feitosa JPA → Ricardo NMPS
Ferrer-Balas D → Karger-Kocsis J
Fischer A → Leddet C

Garcia RB, Nagashima Jr T, Praxedes AKC, Raffin FN, Moura TFAL, do Egito EST: Preparation of micro and nanoparticles from corn cobs xylan 371
Glöckner P → Bernhardt S
González-Nuñez R, Padilla H, De Kee D, Favis BD: Barrier properties of polyamide-6/high density polyethylene blends 323
Grazulevicius JV → Rutkaite R
Guemmour H, Carrière F, Benaboura A: Synthesis and thermal properties of new polyester based in indane-1,3-diol and terephtaloyl chloride 1

Ha CS → Lee SM
Haidar B → Joguet L
Hakala K, Helaja T, Löfgren B: Synthesis of nitrogen-functionalized polyolefins with metallocene/methyl-aluminoxane catalysts 123
Hanyková L → Ilavský M

Hazer B, Demirel SI, Borcakli M, Eroglu MS: Free radical crosslinking of unsaturated bacterial polyesters obtained from soybean oily acids 389
Hediger S → Menge H
Heinze Th, Koschella A, Magdaleno-Maiza L, Ulrich AS: Nucleophilic displacement reactions on tosyl cellulose by chiral amines 7
Helaja T → Hakala K
Horie K → Ishizaki F
Hsieh Y-L → Zhou W-J
Huang K-X → Xu H-B
Huang Y → Zeng J
Hurduc N → Iliescu S

Ichikawa S, Uno T, Kubo M, Itoh T: Synthesis and polymerization of 7,7-bromo-8,8-dicyanoquinodimethane 249
Ilavský M, Mamytbekov G, Sedláková Z, Hanyková L, Dušek K: Phase transition in swollen gels. 29. Temperature dependences of swelling and mechanical behaviour of poly(*N*-vinylcaprolactam-*co*-1-vinyl-2-pyrrolidone) gels in water 99
Ilia G → Iliescu S
Iliescu S, Ilia G, Popa A, Dehelean G, Macarie L, Pacureanu L, Hurduc N: The study of the vapor-liquid interfacial polycondensation of the cyclohexylphosphonic dichloride with bispheol A 165
Inakura T → Kim K-M
Ishizaki F, Machida S, Horie K: Photocurrent in and miscibility of poly(*N*-vinylcarbazole)/poly(methyl methacrylate) blends 197
Isomura M, Misumi Y, Masuda T: Synthesis of an amphiphilic conjugated polymer through block copolymerization of phenylacetylene and (*p*-trityloxycarbonylphenyl)acetylene and the subsequent hydrolysis 291
Itoh H, Naka K, Chujo Y: Synthesis of palladium clusters with surface initiator for polymerization of 2-methyl-2-oxazoline 357
Itoh T → Ichikawa S

Jho JY → Ko MB
Joguet L, Mansencal R, Haidar B, Vidal A, Dumas P: Synthesis and characterization of (deuterated) polybutadienes of well-defined molecular weight and microstructure 457
Ju SS → Lee SM
Jung B-J → Yoon C-B
Jung JC → Kim YS

Karger-Kocsis J, Ferrer-Balas D: On the plane-strain essential work of fracture of polymer sheets 507
Karpuzova P → Bratschkov C
Kempe M → Cederfur J
Kennedy JP → Pi Z
Kim BJ, Chang JY, Kim C: Synthesis of polyhydrazones by diazo coupling reaction of bisacetoacetamides with diazonium salts 285
Kim C → Kim BJ
Kim J, Kim J-S: Dynamic mechanical properties of weakly clustered poly(styrene-*co*-sodium citraconate) ionomers 403
Kim JH → Choi DH
Kim J-S → Kim J
Kim K-M, Chujo Y: Synthesis and characterization of liquid-crystalline silsesquioxanes 15
Kim K-M, Inakura T, Chujo Y: Organic-inorganic polymer hybrids using octasilsesquioxanes with hydroxyl groups 351
Kim M, Sanda F, Endo T: Phosphonamidates as thermally latent initiators in the polymerization of epoxides 277
Kim YS, Jung JC: Synthesis and characterization of polyimides from 9,10-diphenoxy-1,2,3,4,5,6,7,8-octahydro-2,3,6,7-anthracenetetracarboxylic 2,3:6,7-dianhydride 263
Klapper M → Bratschkov C
Klapper M → Dasgupta A
Ko MB, Jho JY: Ion exchange reaction in preparation of clay-dispersed polystyrene nanocomposite by emulsion polymerization-coagulation technique 315
Korach L, Czaja K: Synthesis and activity of zirconocene catalysts supported on silica-type sol-gel carrier for ethylene polymerization 67
Korach ʃ, Czaja K: Synthesis and activity of zirconocene catalyst supported on silica-type sol-gel carrier for ethylene polymerization 175
Koschella A → Heinze Th
Kowitteerawut T → Sakdapipanich J
Kubo M → Ichikawa S

Lamberti G, Titomanlio G: Crystallization kinetics of iPP. Model and experiments 231
Leddet C, Fischer A, Brembilla A, Lochon P: Influence of the alkyl-chain size on the amphiphilic behaviour of poly(3-alkyl-1-vinylimidazolium) bromide in aqueous medium 75
Lee SM, Ju SS, Chung HY, Ha CS, Cho WJ: Syntheses and antitumor activities of polymers containing 2-acrylamido-2-methyl-1-propanesulfonic acid or 5-fluorouracil 241
Lee J-Y, Park E-J: Synthesis and charaterization of novel polyurethanes containing tricyanocyclopropane ring for piezoelectric applications 159
Lei T → Xu H-B
Lin CH, Wang CS: Miscibility of poly (etherimide) and poly (butylene naphthalate) blends 191
Liu Z-L → Xu H-B
Lochon P → Leddet C
Löfgren B → Hakala K

Macarie L → Iliescu S
Machida S → Ishizaki F
Magdaleno-Maiza L → Heinze Th
Mamytbekov G → Ilavský M
Mansencal R → Joguet L
Månson J-AE → Mezzenga R

Martinelli M → Ruiz D
Masuda T → Isomura M
Masuda T → Nakako H
Mathias LJ → White LA
Matsumi N → Matsumoto F
Matsumoto F, Matsumi N, Chujo Y: Synthesis of novel π-conjugated boron polymers containing transition metal in the main chain and their optical properties 257
Mauler RS → Maurano CHF
Maurano CHF, Portal LL, Baumhardt Neto R, Mauler RS: Functionalization of styrene-butadiene-styrene (SBS) triblock copolymer with maleic anhydride 491
Menge H, Hediger S, Emsley L, Sandström D: Segmental mobility in poly(isoprene) rubber studied by deuterium-carbon NMR correlation spectroscopy 183
Meyer F → Miyata M
Mezzenga R, Pettersson B, Månson J-AE: Thermodynamic evolution of unsaturated polyester-styrene-hyperbranched polymers 419
Minoda M → Zhou Q
Misumi Y → Isomura M
Miyamoto T → Zhou Q
Miyata M, Meyer F, Chujo Y: Stable organoboron polymers prepared by hydroboration polymerization of dienes with tripylborane 23
Moura TFAL → Garcia RB
Mülhaupt R → Walter P
Müllen K → Bratschkov C
Müllen K → Dasgupta A

Nagashima Jr T → Garcia RB
Naka K → Itoh H
Nakako H, Nomura R, Masuda T: Polymerization of *N*-substituted 2-propynamides with transition metal catalysts 147
Neto MA → Ricardo NMPS
Nicol E, Bonnans-Plaisance C, Dujardin G: Synthesis of ω-mercapto-poly(alkylene oxide) by the Mitsunobu reaction 37
Nomura R → Nakako H

Ogawa T → Bucio E
Okay O → Durmaz S
Olander B → Qu X
Onen A → Degirmenci M

Pacureanu L → Iliescu S
Padilla H → González-Nuñez R
Pappas SP → Degirmenci M
Park E-J → Lee J-Y
Patten TE → Zhou W-J
Pettersson B → Mezzenga R
Pi Z, Kennedy JP: Poly(vinyl chloride)-*g*-poly (2-methyl-1,5-hexadiene): PVC fitted with multiple allyl groups 451
Popa A → Iliescu S
Portal LL → Maurano CHF
Prakash R, Srivastava RC, Seth PK: Polycarbazole modified electrode; nitric oxide sensor 487
Pratt LM → Zhou W-J
Praxedes AKC → Garcia RB

Qu X, Wirsén A, Olander B, Albertsson A-C: Surface modification of high density polyethylene tubes by coating chitosan hydrogel and heparin 223

Rabagliati FM, Cancino RA, Rodríguez FJ: Copolymerization of styrene by diphenylzinc-additive systems. Part II: Copolymerization of styrene/1-alkene by Ph_2Zn-metallocene-MAO systems 427
Raffin FN → Garcia RB
Rangelov S, Tsvetanov Ch: Synthesis and aqueous solution properties of aliphatic double chain end-capped poly(ethylene glycol) 471
Ricardo NMPS, Feitosa JPA, Silveira ER, Neto MA: Some roles of methanol-soluble fraction of rubber from *Manihot glaziovii*. Part 1. Sitosterol and fatty acids 107
Ritter H → Bernhardt S
Rivas BL, Seguel GV: Synthesis, characterization, and properties of polychelates of poly(maleic acid-*co*-olefin) with Cu(II), Co(II), Ni(II), and Zn(II) 271
Rodríguez FJ → Rabagliati FM
Ruiz D, Martinelli M, Bertorello H: Binding metal cations and nitrate anions by new synthetic support: Castor Oil-AAc-AAm 331
Rutkaite R, Buika G, Grazulevicius JV: Synthesis and characterization of copolymers of carbazolyl-alkyl(meth)acrylates and methacrylic acid 59

Sakdapipanich J, Kowitteerawut T, Seiichi K, Tanaka Y: Structural characterization of highly *cis*-1,4-polybutadiene: A comparing study in swollen and solid state using NMR technique 479
Sanda F → Kim M
Sandström D → Menge H
Saraydın D, Çaldıran Y: *In vitro* dynamic swelling behaviors of polyhydroxamic acid hydrogels in the simulated physiological body fluids 91
Schopov I → Bratschkov C
Sedláková Z → Ilavský M
Seguel GV → Rivas BL
Seiichi K → Sakdapipanich J
Seth PK → Prakash R
Shim H-K → Yoon C-B
Silveira ER → Ricardo NMPS
Srivastava RC → Prakash R
Suh DH → Yang NC
Suo F → Zeng J

Tanaka Y → Sakdapipanich J
Titomanlio G → Lamberti G

Trinkle S → Walter P
Tsvetanov Ch → Rangelov S

Ulrich AS → Heinze Th
Uno T → Ichikawa S

Vidal A → Joguet L

Walter P, Trinkle S, Mülhaupt R: Influence of zirconocene structure and propene content on melt rheology of polyethene and ethene/propene copolymers 205
Wang CS → Lin CH
Wang KH, Xu M, Choi YS, Chung IJ: Effect of aspect ratio of clay on melt extensional process of maleated polyethylene/clay nanocomposites 499
Weber JW, Weber JW, Mathias LJ: Synthesis and thermal caracterization of a one component maleimide-epoxy resin 339
Weber JW → White LA
Westerhausen M → Zhong Z
White LA, Weber JW, Mathias LJ: Synthesis and thermal characterization of a one component maleimide-epoxy resin 463
Wirsén A → Qu X

Xu H-B, Zhou Z-B, Huang K-X, Lei T, Zhang T, Liu Z-L: Preparation and properties of poly(dimer acid-sebacic acid) copolymer 435
Xu M → Wang KH

Yachi A → Endo K
Yagci Y → Degirmenci M
Yang NC, Suh DH: Synthesis of a new polyarylenvinylene derivative based on a terstyryl group linked by a maleimide group 29
Yoon C-B, Jung B-J, Shim H-K: New NLO-functionalized poly(1,4-phenylenevinylene) derivative containing dinitrobenzene moiety as electron acceptor 299

Zeng J, Suo F, Huang Y: Phase separation of the liquid crystal in the cholesteric phase 83
Zhang T → Xu H-B
Zhong Z, Ankoné MJK, Dijkstra PJ, Birg C, Westerhausen M, Feijen J: Calcium methoxide initiated ring-opening polymerization of ε-caprolactone and L-lactide 51
Zhou Q, Zhang L, Minoda M, Miyamoto T: Phase transition of thermosensitive amphiphilic cellulose esters bearing olig(oxyethylene)s 239
Zhou W-J, Hsieh Y-L, Pratt LM, Patten TE: Experimental and computational studies of bulk polymerization of styrene in the presence of *N*-(*O*-(1-phenylmethyl)oxy)phthalimide or cyclohexanone-*O*-(1-phenylmethyl)oxime 43
Zhou Z-B → Xu H-B

Subject Index

Acrylamide 409
2-Acrylamido-2-methyl-1-propanesulfonic acid 241
Acryloyl chloride 115
AGE 339, 463
AIBN 131
Alkenes, amide- and amine-functional 123
Alkoxides 51
3-Alkyl-1-vinylimidazolium bromides 75
Allyl glycidyl ether (AGE) 339, 463
AMPA 241
Anthracene 345
Antioxidant 107
Antitumor activity 241
Azobenzene-containg polyurethane 395

Barrier properties 323
Biocompatibility 223
Biomaterials 223
Bisacetoacetamides 285
Biscyclopentadienyltitanium dichloride 427
Biscyclopentadienylzirconium dichloride catalyst 67, 175
Bisphenol A 165
Boron polymers, -conjugated 257
Breakage 215
7,7-Bromo-8,8,-dicyanoquinodimethane 249
n-Butyl acrylate 153
n-Butyl methacrylate 345
n-Butyl vinyl ether 443

Calcium dimethoxide 51
Calcium methoxide 51
-Caprolactone 51
Carbazolylalkyl(meth)acrylates 59
Carbohydrates 7
N-(*p*-Carboxyphenyl)maleimide 339, 463
Castor oil-AAc-AAm 331
Cellulose 83
Cellulose tosylates 7
Chelating agents 331
Chirality 7
Chitosan 223
Cholesterin phase 83
Chromophores, azoaromatic 395
Clay/polystyrene hybrids 315
Clays 499
CLEAR supports 381
Conducting polymers 487
Conductivity 271
Constitutive equation 215
Corn hemicellulose 371
Cp_2ZrCl_2/MAO 67
Critical strength 215
Crystallization kinetics 231
4-Cyano-4¥-*n*-heptyl-biphenyl 83
Cyclic ethers 443
Cyclodextrins 153
Cyclohexanone-*O*-(1-phenylmethyl)oxime 43
Cyclohexene oxide 443
Cyclohexyl acrylate 153
Cyclohexylphosphonic dichloride 165

6-Deoxy-6-amino cellulose 7
Deuterated monomers 457
O,O-Di-*tert*-butyl-1-piperidinyl phosphonamidate 277
Dianhydride 263
Diazo coupling reaction 285
Diazotisation 139
Diazotising reagents 139
Dienes/tripylborane 23
Differential pulse voltammetry 487
Diffraction gratings 395
2,5-Dihydrothiophene-1,1-dioxide 457
9,10-Diphenoxy-1,2,3,4,5,6,7,8-octahydro-2,3,6,7,-anthracenetetracarboxylic 2,3:6,7-dianhydride 263
1,4-Diphenoxy-2,3,5,6-tetrakis(bromomethyl)benzene 263
Diphenyl iodonium hexafluoro antimonate 443
1,6-Diphenyl-1,3,5-hexatriene 471
Diphenylmaleimide, dibrominated 29
Diphenylzinc 427
p-Divinylbenzene 29

Elastomers, strength 215
-, thermoplastic 491
Electrochemical sensors 487
Electroluminescence 59
Electron-withdrawing substituents 249
Epoxides 277
Essential work of fracture 507
Ethene/propene 205
N-Ethoxy-2-methyl-pyridinium hexafluoro antimonate 443
Ethyl nitrite 139
Ethyl-cyanoethyl cellulose 83
Ethylene 67, 123, 175
Ethylene octene 215

5-Fluorouracil 241
Fox equation 191

Glycidyl methacrylate 139
Grafting, carbocationic 451

Halides, organic 363
HDPE 323
-, surface modification 223
Heavy metals 331
Hemicellulose 371
Heparin 223
Hevea brasiliensis 107
n-Hexyl acrylate 153

HMQC 183
HOSE method 479
Hydrazone 285
Hydroboration 23, 257
Hydrogels 91, 223
Hydroxamic acid hydrogels, polyelectrolytic 91
-Hydroxy-poly(alkylene oxide) 37
Hyperbranched polymers 419

Indane-1,3-diol 1
Initiators 43
-, latent 277
Ionomers 403
iPP, crystallization 231
Isoamyl nitrite 139
Isokinetic hypothesis 231

L-Lactide 51
Latent initiators 277
Latex 107
LEDs 29
Living radical polymerization 363

Maleic acid 271
Maleic anhydride 491
Maleimide-epoxy resin 339, 463
Manganese(III) acetylacetonate 363
Manihot glaziovii 107
MAO 205
-Mercapto-poly(alkylene oxide) 37
Metal alkoxides 51
Metallocene catalysts 205, 427
Metallocene/methylaluminoxane 123
Methacrylate 345
Methacrylic acid 59
Methacrylic copolymer, anthracene 345
2-Methyl-1,5-hexadiene 451
2-Methyl-2-oxazoline 357
N,N¥-Methylene(bis)acrylamide 409
Mitsunobu reaction 37
$Mn(acac)_3$ 363
Monomer, labeled 457

Nanocomposites, layered-silicate based 499
Natural rubber 107
Nitrate ions 331
Nitric axide sensor 487
Nitrite esters 139
NLO chromophores 299
NMR, deuterium-carbon 183

Octa(hydridosilsesquioxane) 15
Octasilsesquioxanes 351
One-component resin system 339
Organic/inorganic composites 315, 351
Organoboron polymers 23
Organometallic catalysts 67

PA 291
PA6 323
PAAm 409
Palladium 147, 357
Palladium clusters 357
PAV 29
PBN 191
Pd(II) 147
PEG-based amphiphilic polymer 471
PEI 191
Peptides 381
Peroxide vulcanization 479
Ph_2Zn-metallocene -MAO 427
PHA hydrogels 91
PHAs, crosslinked 389
Phase separation 83
Phase transition 99
Phenylacetylene 291
N-(*O*-(1-Phenylmethyl)oxy)phthalimide 43
Phosphonamidates 277
Photoconductivity 197
Photocurrent 197
Photodimerization 345
Photoinitiation 443
Photoluminescence 29
Photoreaction 345
Piezoelectric activity 159
Plane-stress 507
PMMA 197
POEME 2000 37
Polyacrylates 115
Polyacrylic esters 115
Polyamide-6 / high density polyethylene 323
Polyanhydrides 435
Polyarylenevinylene 29
cis-1,4-Polybutadiene 479
Polybutadienes, deuterated 457
Polycarbazole 487
Polychelates 271
Polycondensation 1
Polyelectrolyte hydrogels 91, 99
Polyelectrolytes 59
Polyester-styrene-hyperbranched polymers 419
Polyesters 1
-, aromatic 165
-, unsaturated 419
-, unsaturated bacterial 389
Polyethene 205
Polyethylene 67, 115
-, high density (HDPE) 223, 323
Polyethylene/clay nanocomposites, maleated 499
Polyhedral oligomeric silsesquioxanes 15
Polyhydrazones 285
Polyhydroxamic acid hydrogels 91
Polyimides 263
Polymethacrylate 395

Polyolefins 115
-, nitrogen-functionalized 123
Polyphosphonate esters 165
Polypropylene 115
Polysaccharides 7, 371
Polystyrene, clay-dispersed 315
Polyurethanes 159, 395
-, azobenzene-containg 395
Poly(acrylamide) gels, inhomogeneities 409
Poly(3-alkyl-1-vinylimidazolium) bromide 75
Poly(butylene naphthalate) 191
Poly(dimer acid-sebacic acid) 435
Poly(ethene-*co*-propene)s 205
Poly(etherimide) 191
Poly(ethylene glycol), aliphatic double chain end-capped 471
Poly(3-hydroxy alkanoate) 389
Poly(3-hydroxy octanoate) 389
Poly(hydroxyethyl methacrylate) 131
Poly(isoprene) rubber 183
Poly(L-lactide) 51
Poly(maleic acid-*co*-olefin) 271
Poly(methacrylic acid) 59
Poly(1,4-phenylenevinylene), NLO-functionalized 299
Poly(propyleneoxide) 37
Poly(styrene-*co*-sodium citraconate) ionomers 403
Poly(TMS-HEMA) 131
Poly(trimethylene terephthalate) 307
Poly(*N*-vinylcaprolactam-*co*-1-vinyl-2-pyrrolidone 99
Poly(*N*-vinylcarbazole/poly(methyl methacrylate) 197
Poly(vinyl chloride)-*g*-poly(2-methyl-1,5-hexadiene) 451
Porogen 381
PPO 37
Propylene 123
2-Propynamides, N-substituted 147
Pseudomonas oleovorans 389
PTT 307
PVC, multiple allyl 451
PVCz 197

Quinodimethanes 249
Radiation-induced graft polymerization 115
Rhodium 291
Rigid-rod polymers 257
Rubber, methanol-soluble fraction 107
Rubber latex 107
Rubbery polymers, finite strains 215

Sarcoma 180 241
Semiconductors 271
Sheets, plane-strain essential work of fracture 507
Silsesquioxanes, liquid-crystalline 15
Sitosterol 107
Sol-gel carrier, silica-type 67, 175
Solid-phase synthesis 381
Soybean oily acids 389
Stress strain curves 215
Styrene 43, 363
- /1-alkene 427
Styrene-butadiene-styrene 491
Support modification 175
Surface relief grating 395
Swollen gels 99

Tacticity 427
Tautomerization 285
TEMPO 43
Terephthaloyl chloride 1
Tetrayne monomer 257
Thermal crosslinking 389
Thermosetting materials 277
Thyroglobulin 381
Titanocene, visible light activated 443
TMS-HEMA 131
Tosyl cellulose 7
Transition metal catalysts 147
Triazolin endfunctionality 131
1-(2',2',3'-Tricyano-3'-carbomethoxycyclopropyl)-3,4-di-2'-hydroxyethoxybenzene 159
Tricyanocyclopropane 159
2,4,6-Triisopropylphenylborane 23
Trimethylolpropane ethoxylate 381
Trimethylsilyloxyethyl methacrylate 131
Tripylborane 257
(*p*-Trityloxycarbonylphenyl)acetylene 291
p-TrOCOPA 291
Two-beam coupling 395

UV irradiation 389

N-Vinyl carbazole 443
N-Vinylcaprolactam 99
1-Vinyl-2-pyrrolidone 99
Voltammetry 487

WAXD 307

XRD diffraction 315
Xylan 371

Young's modulus 215

Ziegler-type catalysts 123
Zirconocene catalysts 67, 205
Zirconocene/methylaluminoxane 123